

MICHIGAN WILDFLOWER FARM
2010 Species List

Forbs

Scientific Name	Common Name	\$/oz.	\$/lb.	Color	Height	Bloom	Moisture	Sun
<i>Achillea millefolium</i>	Yarrow	6.50	89.50	White	2'	July-August	M-D	PS-S
<i>Acorus calamus</i>	Sweet Flag	10.00		Green	2'	June-July	W	S
<i>Alisma subcordata</i>	Water Plantain	10.50		White	3'	July-Sept.	W	PS-S
<i>Allium cernuum</i>	Nodding Wild Onion	15.50		Lavender	1'	July-August	M-DM	PS-S
<i>Amorpha canescens*</i>	Lead Plant	26.00		Violet	3'	June-August	M-D	PS-S
<i>Anemone canadensis</i>	Canada Anemone	21.00		Cream	2'	June-August	WM-M	PS-S
<i>Anemone cylindrica</i>	Thimbleweed	51.50		White	2'-3'	May-June	M-D	PS-S
<i>Anemone virginiana</i>	Tall Thimbleweed	41.00		White	4'	June-August	DM	PS-S
<i>Angelica atropurpurea</i>	Angelica	10.50		White	4'	June-August	W-M	S
<i>Aquilegia canadensis</i>	Wild Columbine	60.00		Red/Yellow	3'	May-June	M-D	PS-S
<i>Asclepias incarnata</i>	Swamp Milkweed	15.50	207.00	Pink	4'	July-August	W-M	S
<i>Asclepias syriaca</i>	Common Milkweed	4.25	55.25	Pink	4'	June-August	WM-DM	PS-S
<i>Asclepias tuberosa</i>	Butterfly Weed	31.00	393.00	Orange	2'	July-August	M-D	PS-S
<i>Asclepias verticillata</i>	Whorled Milkweed	46.35		White	1'	July-August	M-D	PS-S
<i>Aster laevis</i>	Smooth Aster	51.50		Blue	3'	Sept.-Oct.	M-D	PS-S
<i>Aster novae-angliae</i>	New England Aster	31.00	393.00	Purple	3'-5'	Aug.-Oct.	W-DM	PS-S
<i>Aster oolentangiensis</i>	Prairie Heart-leaved Aster	30.00		Blue/Yellow	1'4'	July-Nov.	D	PS-S
<i>Aster pilosus</i>	Hairy Aster	10.50		White	3'	Aug.-Oct.	M-D	PS-S
<i>Aster puniceus</i>	Swamp Aster	36.50		Lavender	4'	Aug.-Oct.	W-WM	PS-S
<i>Aster sagittifolius</i>	Arrow-leaved Aster	15.00		Blue	3'	Aug.-Oct.	M-DM	PS-S
<i>Aster umbellatus</i>	Flat-Top Aster	41.00		Cream	3'-5'	Aug.-Oct.	W-M	PS-S
<i>Baptisia leucantha</i>	White Wild Indigo	15.50	207.00	White	3'-4'	June-July	WM-D	PS-S
<i>Campanula americana</i>	Tell Bellflower	41.00		Blue	3'-4'	July-Sept.	M-DM	PS
<i>Ceanothus americanus*</i>	New Jersey Tea	67.00		White	2'-3'	June-August	M-D	PS-S
<i>Chelone glabra</i>	Turtlehead	73.00		White	3'-4'	Aug.-Sept.	W-WM	PS-S
<i>Cirsium muticum</i>	Swamp Thistle	41.00		Purple	5'	July-August	W-WM	PS-S
<i>Clematis virginiana****</i>	Virgin's Bower	21.00		White	to 9'	July-August	WM-M	PS-S
<i>Coreopsis lanceolata</i>	Sand Tickseed	12.50	156.00	Yellow	2'	June-July	DM-D	S
<i>Coreopsis palmata</i>	Prairie Coreopsis	40.00		Yellow	2'	June-August	M-D	PS-S
<i>Coreopsis tripteris</i>	Tall Coreopsis	21.00	269.00	Yellow	5'-7'	July-August	WM-DM	PS-S
<i>Dalea purpurea</i>	Purple Prairie Clover	12.00		Purple	2'-3'	July-August	M-D	PS-S
<i>Desmodium canadense</i>	Showy Tick-Trefoil	15.50	207.00	Purple	3'-5'	July-August	WM-DM	PS-S

Scientific Name	Common Name	\$/oz.	\$/lb.	Color	Height	Bloom	Moisture	Sun
Desmodium illinoense	Prairie Tick-Trefoil	21.00	269.00	Purple	3'-6'	July-August	DM-D	PS-S
Echinacea purpurea**	Purple Coneflower	4.25	55.25	Purple	3'-4'	July-Sept.	M-D	PS-S
Epilobium coloratum	Common Willow Herb	26.00		Pink	3'	July-August	W-WM	PS-S
Eryngium yuccifolium	Rattlesnake-Master	15.50	207.00	White	4'-5'	July-August	WM-DM	S
Eupatorium maculatum	Joe-Pye Weed	21.00	269.00	Pink	4'-6'	July-Sept.	W-WM	PS-S
Eupatorium perfoliatum	Boneset	21.00	269.00	White	4'-5'	July-Sept.	W-WM	PS-S
Eupatorium rugosum	Snakeroot	21.00	269.00	White	2'-4'	Aug.-Sept.	WM-DM	PS-S
Euphorbia corollata	Flowering Spurge	50.00		White	2'-4'	July-August	M-D	PS-S
Euthamia graminifolia	Grassleaved Goldenrod	51.50		Yellow	2'-4'	July-Sept.	W-D	PS-S
Gentiana andrewsii	Bottled Gentian	100.00		Blue	1'-2'	Aug.-Sept.	WM-M	PS-S
Gentiana crinita	Fringed Gentiana	250.00		Blue	1'-1.5'	Aug.-Sept.	W-WM	PS-S
Geranium maculatum	Wild Geranium	85.00		Lavender	1'	April-May	M-DM	PS-S
Geum triflorum	Prairie Smoke	150.00		Red	1'	April-May	M-D	PS-S
Gnaphalium obtusifolium	Catsfoot	41.00		White	1'-3'	July-Sept.	DM-D	S
Helenium autumnale	Sneezeweed	12.00		Yellow	3'-4'	Aug.-Oct.	W-WM	PS-S
Helianthus divaricatus	Woodland Sunflower	62.00		Yellow	3'	July-Sept.	DM-D	PS
Helianthus occidentalis	Western Sunflower	41.00		Yellow	2'-3'	Aug.-Sept.	M-D	PS-S
Heracleum maximum	Cow Parsnip	10.50		White	5'-10'	June-July	WM-M	PS-S
Hibiscus moscheutos	Swamp Rose Mallow	30.00		White	5'	July-Sept.	W-WM	PS-S
Hypericum ascyron	Giant St. John's Wort	15.50		Yellow	4'-6'	July-August	WM-M	PS-S
Iris versicolor	Wild Blue Flag	18.00		Blue	2'-3'	June-August	W-M	PS-S
Kuhnia eupatorioides	False Boneset	21.00		Cream	2'-4'	Aug.-Sept.	DM-D	PS-S
Lespedeza capitata	Round headed Bush-Clover	21.00		Green	3'-4'	Aug.-Sept.	M-D	PS-S
Liatris aspera	Rough Blazing Star	30.00		Purple	2'-3'	Aug.-Sept.	DM-D	PS-S
Liatris spicata	Marsh Blazing Star	25.00		Purple	3'-4'	July-August	W-WM	PS-S
Lilium michiganense	Michigan Lily	165.00		Orange	4'	July-August	W-WM	PS-S
Lobelia cardinalis	Cardinal Flower	75.00		Red	2'-5'	July-August	W-WM	PS-S
Lobelia siphilitica	Great Blue Lobelia	36.00		Blue	1'-4'	July-Sept.	W-M	PS-S
Lupinus perennis	Wild Lupine	27.00	350.00	Lavender	1'-2'	May-June	WM-D	PS-S
Mimulus ringens	Monkey-flower	28.00		Purple	3'	June-Sept.	W-WM	PS-S
Monarda fistulosa	Wild Bergamot	21.00	269.00	Lavender	2'-4'	July-August	WM-D	PS-S
Monarda punctata	Horsemint	36.00		Pink	1'-3'	July-August	D	PS-S
Oenothera biennis	Common Evening Primrose	3.50	42.00	Yellow	2'-5'	July-Sept.	WM-D	PS-S
Pedicularis lanceolata	Swamp Betony	15.50		Yellow	2'-3'	Aug.-Sept.	W-WM	PS-S
Penstemon digitalis	Foxglove Beard-tongue	15.50		White	3'-5'	June-July	M-DM	PS-S

Scientific Name	Common Name	\$/oz.	\$/lb.	Color	Height	Bloom	Moisture	Sun
<i>Penstemon hirsutus</i>	Hairy Beard-tongue	40.00		Lavender	2'	May-June	DM-D	PS-S
<i>Physostegia virginiana</i> **	Obedient Plant	25.00		Pink	3'	Aug.-Sept.	W-M	PS-S
<i>Pycnanthemum virginianum</i>	Common Mountain Mint	36.00		White	2'-3'	July-August	W-DM	PS-S
<i>Ratibida pinnata</i>	Yellow Coneflower	8.50	117.00	Yellow	3'-6'	July-Sept.	WM-D	PS-S
<i>Rosa blanda</i>	Wild Rose	15.50		Pink	3'-4'	July-August	M-D	PS-S
<i>Rudbeckia hirta</i>	Black-eyed Susan	9.50	121.00	Yellow	1'-2'	June-Sept.	M-D	PS-S
<i>Rudbeckia lanceolata</i>	Cut-leaved Coneflower	15.50		Yellow	3'-8'	July-Sept.	WM-M	PS-S
<i>Rudbeckia subtomentosa</i>	Sweet Black-eyed Susan	15.50		Yellow	3'-4'	Aug.-Sept.	WM-DM	PS-S
<i>Rudbeckia triloba</i>	Three-lobed Coneflower	16.00		Yellow	4'	Aug.-Sept.	WM-DM	PS-S
<i>Scophuleria marilandica</i>	Late Figwort	20.00		Green	6'		M-DM	S
<i>Senecio obovatus</i>	Round-leaved Ragwort	U/A						
<i>Silphium integrifolium</i>	Rosin Weed	12.00	144.00	Yellow	4'-6'	July-Sept.	WM-D	PS-S
<i>Silphium laciniatum</i>	Compass Plant	26.00	333.00	Yellow	5'-10'	July-Sept.	WM-D	PS-S
<i>Silphium perfoliatum</i>	Cupplant	8.50	117.00	Yellow	5'-8'	July-Sept.	WM-DM	PS-S
<i>Silphium terebinthinaceum</i>	Prairie Dock	26.00	333.00	Yellow	5'-10'	July-Sept.	WM-DM	PS-S
<i>Sisyrinchium angustifolium</i>	Blue-eyed Grass	62.00		Blue	1'	May-June	W-DM	PS-S
<i>Solidago caesia</i>	Blue-stemmed Goldenrod	70.00		Yellow	1'-3'	Aug.-Oct.	D-	PS-S
<i>Solidago juncea</i>	Early Goldenrod	41.50		Yellow	3'	Aug.-Oct.	DM-D	PS-S
<i>Solidago nemoralis</i>	Old-Field Goldenrod	45.00		Yellow	2'	Aug.-Oct.	DM-D	PS-S
<i>Solidago patula</i>	Swamp Goldenrod	31.00		Yellow	2'-7'	Aug.-Oct.	W-WM	PS-S
<i>Solidago riddellii</i>	Riddell's Goldenrod	35.00		Yellow	2'-4'	Aug.-Oct.	WM-M	S
<i>Solidago rigida</i>	Stiff Goldenrod	15.50	207.00	Yellow	3'-5'	Aug.-Oct.	WM-D	PS-S
<i>Solidago speciosa</i>	Showy Goldenrod	31.00	393.00	Yellow	2'-7'	Aug.-Oct.	M-D	PS-S
<i>Tephrosia virginiana</i>	Goat's Rue	50.00		Pink/Yellow	1'	June-July	D	PS-S
<i>Thalictrum dasycarpum</i>	Purple Meadow Rue	21.00		Cream	5'-7'	June-July	WM-M	PS-S
<i>Tradescantia ohiensis</i>	Common Spiderwort	35.00		Blue	2'-4'	May-July	WM-D	PS-S
<i>Verbena hastata</i>	Blue Vervain	12.00	144.00	Purple	3'-6'	July-Sept.	W-M	PS-S
<i>Verbena stricta</i>	Hoary Vervain	21.00		Purple	2'-3'	Aug.-Sept.	DM-D	PS-S
<i>Vernonia missurica</i>	Ironweed	26.00		Purple	4'-6'	Aug.-Sept.	WM-M	PS-S
<i>Veronicastrum virginicum</i>	Culver's Root	50.00		White	4'-6'	July-August	WM-DM	PS-S
<i>Zizia aurea</i>	Golden Alexander	24.00		Yellow	2'-3'	May-June	M-DM	PS-S

Grasses and Sedges

Scientific Name	Common Name	\$/oz.	\$/lb.	Height	Bloom Time	Moisture	Sun
Andropogon gerardii	Big Bluestem	3.50	18.00	5'-8'	Warm Season	WM-D	PS-S
Bouteloua curtipendula	Side-oats Grama	4.00	16.00	1'-2'	Warm Season	DM-D	PS-S
Carex comosa	Bristly Sedge	8.00		2'	Cool Season	W-WM	S
Carex crinita	Fringed Sedge	15.00		4'	Cool Season	W-WM	PS-S
Carex cristatella	Crested Oval Sedge	21.00		2'	Cool Season	W-WM	PS-S
Carex lupulina	Common Hopsedge	20.00		3'	Cool Season	W-WM	PS-S
Carex stricta	Tussock Sedge	75.00		4'	Cool Season	W-WM	PS-S
Carex vulpinoidea	Foxtail Sedge	10.00		2'	Cool Season	W-WM	PS-S
Elymus canadensis**	Canada Wild-rye	2.00	12.00	3'-5'	Cool Season	M-D	PS-S
Elymus virginicus**	Virginia Wild-rye	2.00	10.00	2'-4'	Cool Season	W-M	PS-S
Eragrostis spectabilis	Purple Lovegrass	90.00		1'-2'	Warm Season	D	PS-S
Glyceria canadensis	Rattlesnake Grass	35.00		3'	Cool Season	W-WM	PS-S
Hystrix patula	Bottlebrush Grass	20.00		4'	Warm Season	M-D	PS-S
Juncus effusus	Soft-stemmed Rush	45.00		2'	Cool Season	W-M	S
Juncus tenuis	Pathrush	45.00		1'	Cool Season	M-D	PS-S
Panicum virgatum	Switch Grass	3.00	14.00	3'-5'	Warm Season	WM-D	PS-S
Schizachyrium scoparium	Little Bluestem	4.00	22.00	2'-3'	Warm Season	M-D	PS-S
Scirpus atrovirens	Bulrush	6.00		3'-5'	Cool Season	W-WM	S
Scirpus cyperinus	Wool Grass	18.00		3'-5'	Cool Season	W-WM	S
Sorghastrum nutans	Indian Grass	2.00	10.00	5'-8'	Warm Season	M-D	PS-S

Codes and definitions:

* - Schrubs

** - not Michigan genotype

*** - beard on

**** - vine

Bloom time:

For wildflowers: the months in which the plant is typically flowering.

For grasses: warm season denotes actively growing when soil is warm; cool season denotes actively growing when soil is cool.

Moisture:

W = wet - wet soggy

WM = wet mesic - heavy with moisture for long periods, but can dry up in summer

M = mesic - medium moisture

DM = dry mesic - moisture drains readily

D = extremely dry

Sun:

PS - partial sun, woodland edge

S - full sun opening

Michigan Wildflower Farm

11770 Cutler Rd.

Portland, MI 48875

Phone: 517-647-6010

Fax: 517-647-6072

Email: wildflowers@voyager.net

www.michiganwildflowerfarm.com