

MICHIGAN WILDFLOWER FARM

2021 Species List

Forbs

| Scientific Name | Common Name | \$/oz. | Color | Height | Bloom | Moisture | Sun |
|---|--------------------------|---------------|--------------|---------------|--------------|-----------------|------------|
| Achillea millefolium | Yarrow | \$15.00 | White | 2' | July-August | M-D | PS-S |
| Alisma subcordata | Water Plantain | \$12.50 | White | 3' | July-Sept. | W | PS-S |
| Allium cernuum | Nodding Wild Onion | \$22.00 | Lavender | 1' | July-August | M-DM | PS-S |
| Amorpha canescens* | Lead Plant | \$25.00 | Violet | 3' | June-August | M-D | PS-S |
| Anemone canadensis | Canada Anemone | \$45.00 | Cream | 2' | June-August | WM-M | PS-S |
| Anemone cylindrica | Thimbleweed | \$60.00 | White | 2'-3' | May-June | M-D | PS-S |
| Anemone virginiana | Tall Thimbleweed | \$50.00 | White | 4' | June-August | DM | PS-S |
| Angelica atropurpurea | Angelica | \$7.50 | White | 4' | June-August | W-M | S |
| Aquilegia canadensis | Wild Columbine | \$35.00 | Red/Yellow | 3' | May-June | M-D | PS-S |
| Asclepias incarnata | Swamp Milkweed | \$22.00 | Pink | 4' | July-August | W-M | S |
| Asclepias syriaca | Common Milkweed | \$15.00 | Pink | 4' | June-August | WM-DM | PS-S |
| Asclepias tuberosa | Butterfly Weed | \$25.00 | Orange | 2' | July-August | M-D | PS-S |
| *PLEASE NOTE: NAMES IN THE GENERA ASTER HAVE CHANGED, PLEASE SEE SYMPHYOTRICHUM* | | | | | | | |
| Campanula americana | Tall Bellflower | \$40.00 | Blue | 3'-4' | July-Sept. | M-DM | PS |
| Ceanothus americanus* | New Jersey Tea | \$40.00 | White | 2'-3' | June-August | M-D | PS-S |
| Coreopsis lanceolata | Sand Tickseed | \$12.00 | Yellow | 2' | June-July | DM-D | S |
| Coreopsis tripteris | Tall Coreopsis | \$25.00 | Yellow | 5'-7' | July-August | WM-DM | PS-S |
| Desmodium canadense | Showy Tick-Trefoil | \$15.00 | Purple | 3'-5' | July-August | WM-DM | PS-S |
| Echinacea purpurea** | Purple Coneflower | \$5.00 | Purple | 3'-4' | July-Sept. | M-D | PS-S |
| Eryngium yuccifolium | Rattlesnake-Master | \$15.00 | White | 4'-5' | July-August | WM-DM | S |
| Eupatorium maculatum | Joe-Pye Weed | \$25.00 | Pink | 4'-6' | July-Sept. | W-WM | PS-S |
| Eupatorium perfoliatum | Boneset | \$35.00 | White | 4'-5' | July-Sept. | W-WM | PS-S |
| Eupatorium rugosum | Snakeroot | \$35.00 | White | 2'-4' | Aug.-Sept. | WM-DM | PS-S |
| Euphorbia corollata | Flowering Spurge | \$70.00 | White | 2'-4' | July-August | M-D | PS-S |
| Geranium maculatum | Wild Geranium | \$85.00 | Lavender | 1' | April-May | M-DM | PS-S |
| Helenium autumnale | Sneezeweed | \$20.00 | Yellow | 3'-4' | Aug.-Oct. | W-WM | PS-S |
| Helianthus occidentalis | Western Sunflower | \$45.00 | Yellow | 2'-3' | Aug.-Sept. | M-D | PS-S |
| Heliopsis helianthoides | False Sunflower | \$10.00 | Yellow | 4'-6' | July-Sept. | M-DM | PS-S |
| Hibiscus mosheutos | Swamp Rose Mallow | \$15.00 | White/Pink | 5' | July-Sept. | W-WM | PS-S |
| Iris virginica | Wild Blue Flag | \$18.00 | Blue | 2'-3' | June-August | W-M | PS-S |
| Kuhnia eupatorioides | False Boneset | \$25.00 | Cream | 2'-4' | Aug.-Sept. | DM-D | PS-S |
| Lespedeza capitata | Round headed Bush-Clover | \$20.00 | Green | 3'-4' | Aug.-Sept. | M-D | PS-S |
| Liatris aspera | Rough Blazing Star | \$50.00 | Purple | 2'-3' | Aug.-Sept. | DM-D | PS-S |
| Liatris spicata | Marsh Blazing Star | \$30.00 | Purple | 3'-4' | July-August | W-WM | PS-S |
| Lobelia siphilitica | Great Blue Lobelia | \$65.00 | Blue | 1'-4' | July-Sept. | W-M | PS-S |

| Scientific Name | Common Name | \$/oz. | Color | Height | Bloom | Moisture | Sun |
|-------------------------------|----------------------------|---------------|--------------|---------------|--------------|-----------------|------------|
| Lupinus perennis | Wild Lupine | \$48.00 | Lavender | 1'-2' | May-June | WM-D | PS-S |
| Mimulus ringens | Monkey-flower | \$20.00 | Purple | 3' | June-Sept. | W-WM | PS-S |
| Monarda fistulosa | Wild Bergamot | \$25.00 | Lavender | 2'-4' | July-August | WM-D | PS-S |
| Monarda punctata | Horsemint | \$35.00 | Pink | 1'-3' | July-August | D | PS-S |
| Oenothera biennis | Common Evening Primrose | \$10.00 | Yellow | 2'-5' | July-Sept. | WM-D | PS-S |
| Penstemon digitalis | Foxglove Beard-tongue | \$15.00 | White | 3'-5' | June-July | M-DM | PS-S |
| Penstemon hirsutus | Hairy Beard-tongue | \$45.00 | Lavender | 2' | May-June | DM-D | PS-S |
| Pycnanthemum virginianum | Common Mountain Mint | \$78.00 | White | 2'-3' | July-August | W-DM | PS-S |
| Ratibida pinnata | Yellow Coneflower | \$13.00 | Yellow | 3'-6' | July-Sept. | WM-D | PS-S |
| Rudbeckia fulgida | Sweet Black-eyed Susan | \$50.00 | Yellow | 2'-3' | Aug.-Sept. | WM-DM | PS-S |
| Rudbeckia hirta | Black-eyed Susan | \$7.50 | Yellow | 1'-2' | June-Sept. | M-D | PS-S |
| Rudbeckia laciniata | Cut-leaved Coneflower | \$25.00 | Yellow | 3'-8' | July-Sept. | WM-M | PS-S |
| Rudbeckia triloba | Three-lobed Coneflower | \$18.00 | Yellow | 4' | Aug.-Sept. | WM-DM | PS-S |
| Silphium integrifolium | Rosin Weed | \$20.00 | Yellow | 4'-6' | July-Sept. | WM-D | PS-S |
| Silphium laciniatum | Compass Plant | \$30.00 | Yellow | 5'-10' | July-Sept. | WM-D | PS-S |
| Silphium perfoliatum | Cupplant | \$15.00 | Yellow | 5'-8' | July-Sept. | WM-DM | PS-S |
| Silphium terebinthinaceum | Prairie Dock | \$28.00 | Yellow | 5'-10' | July-Sept. | WM-DM | PS-S |
| Solidago caesia | Blue-stemmed Goldenrod | \$60.00 | Yellow | 1'-3' | Aug.-Oct. | D- | PS-S |
| Solidago graminifolia | Grassleaved Goldenrod | \$52.00 | Yellow | 2'-4' | July-Sept. | W-D | PS-S |
| Solidago juncea | Early Goldenrod | \$65.00 | Yellow | 3' | Aug.-Oct. | DM-D | PS-S |
| Solidago nemoralis | Old-Field Goldenrod | \$50.00 | Yellow | 2' | Aug.-Oct. | DM-D | PS-S |
| Solidago patula | Swamp Goldenrod | \$43.00 | Yellow | 2'-7' | Aug.-Oct. | W-WM | PS-S |
| Solidago riddellii | Riddell's Goldenrod | \$35.00 | Yellow | 2'-4' | Aug.-Oct. | WM-M | S |
| Solidago rigida | Stiff Goldenrod | \$18.00 | Yellow | 3'-5' | Aug.-Oct. | WM-D | PS-S |
| Solidago speciosa | Showy Goldenrod | \$30.00 | Yellow | 2'-7' | Aug.-Oct. | M-D | PS-S |
| Symphyotrichum laeve | Smooth Aster | \$35.00 | Blue | 3' | Sept.-Oct. | M-D | PS-S |
| Symphyotrichum novae-angliae | New England Aster | \$40.00 | Purple | 3'-5' | Aug.-Oct. | W-DM | PS-S |
| Symphyotrichum oolentangiense | Prairie Heart-leaved Aster | \$45.00 | Blue/Yellow | 1'-4' | July-Nov. | D | PS-S |
| Symphyotrichum pilosum | Hairy Aster | \$30.00 | White | 3' | Aug.-Oct. | M-D | PS-S |
| Symphyotrichum puniceum | Swamp Aster | \$40.00 | Lavender | 4' | Aug.-Oct. | W-WM | PS-S |
| Thalictrum dasycarpum | Purple Meadow Rue | \$20.00 | Cream | 5'-7' | June-July | WM-M | PS-S |
| Thalictrum dioicum | Early Meadow Rue | \$45.00 | Green | 2' | April-May | WM-D | PS |
| Tradescantia ohiensis | Common Spiderwort | \$30.00 | Blue | 2'-4' | May-July | WM-D | PS-S |
| Verbena hastata | Blue Vervain | \$10.00 | Purple | 3'-6' | July-Sept. | W-M | PS-S |
| Verbena stricta | Hoary Vervain | \$15.00 | Purple | 2'-3' | Aug.-Sept. | DM-D | PS-S |
| Vernonia missurica | Ironweed | \$30.00 | Purple | 4'-6' | Aug.-Sept. | WM-M | PS-S |
| Veronicastrum virginicum | Culver's Root | \$65.00 | White | 4'-6' | July-August | WM-DM | PS-S |
| Zizia aurea | Golden Alexander | \$14.00 | Yellow | 2'-3' | May-June | M-DM | PS-S |

Grasses and Sedges

| Scientific Name | Common Name | \$/oz. | \$/lb. | Height | Bloom Time | Moisture | Sun |
|--------------------------|--------------------|---------|---------|--------|-------------|----------|------|
| Andropogon gerardii | Big Bluestem | \$3.00 | \$18.00 | 5'-8' | Warm Season | WM-D | PS-S |
| Bouteloua curtipendula** | Side-oats Grama | \$3.00 | \$25.00 | 1'-2' | Warm Season | DM-D | PS-S |
| Carex comosa | Bristly Sedge | \$20.00 | | 2' | Cool Season | W-WM | S |
| Carex crinita | Fringed Sedge | \$27.50 | | 4' | Cool Season | W-WM | PS-S |
| Carex cristatella | Crested Oval Sedge | \$55.00 | | 2' | Cool Season | W-WM | PS-S |
| Carex grayi | Common Bur Sedge | \$27.50 | | 3' | Cool Season | W-WM | PS-S |
| Carex lupulina | Common Hopsedge | \$27.50 | | 3' | Cool Season | W-WM | PS-S |
| Carex vulpinoidea | Foxtail Sedge | \$7.50 | | 2' | Cool Season | W-WM | PS-S |
| Elymus canadensis** | Canada Wild-rye | \$4.00 | \$19.00 | 3'-5' | Cool Season | M-D | PS-S |
| Elymus hystrix | Bottlebrush Grass | \$16.00 | | 4' | Warm Season | M-D | PS-S |
| Elymus virginicus** | Virginia Wild-rye | \$4.00 | \$21.00 | 2'-4' | Cool Season | W-M | PS-S |
| Eragrostis spectabilis | Purple Lovegrass | \$60.00 | | 1'-2' | Warm Season | D | PS-S |
| Koeleria cristata | June Grass | \$24.00 | | 2' | Cool Season | DM-D | PS-S |
| Panicum virgatum | Switch Grass | \$3.00 | \$17.00 | 3'-5' | Warm Season | WM-D | PS-S |
| Schizachyrium scoparium | Little Bluestem | \$3.00 | \$31.00 | 2'-3' | Warm Season | M-D | PS-S |
| Scirpus atrovirens | Bulrush | \$10.00 | | 3'-5' | Cool Season | W-WM | S |
| Scirpus cyperinus | Wool Grass | \$15.00 | | 3'-5' | Cool Season | W-WM | S |
| Sorghastrum nutans | Indian Grass | \$3.00 | \$25.00 | 5'-8' | Warm Season | M-D | PS-S |
| Sparganium eurycarpum | Common Bur Reed | \$10.00 | | 4' | Warm Season | W | PS |
| Sporobolus heterolepis | Prairie Dropseed | \$20.00 | | 1'-3' | Warm Season | M-DM | S |

Codes and definitions:

- * - Shrub
- ** - not Michigan genotype
- *** - beard on
- **** - vine

Bloom time:

For wildflowers: the months in which the plant is typically flowering.

For grasses: warm season denotes actively growing when soil is warm; cool season denotes actively growing when soil is cool.

Moisture:

W = wet - wet soggy

WM = wet mesic - heavy with moisture for long periods, but can dry up in summer

M = mesic - medium moisture

DM = dry mesic - moisture drains readily

D = extremely dry

Sun:

PS - partial sun, woodland edge

S - full sun opening

A note about cover crop...

If you are seeding on bare soil or slope, we recommend including a temporary cover crop at a rate of 15 lbs. per acre, \$2/lb.

If you have large acreage, we suggest finding cover crop locally as they are commonly available and are heavy, adding substantially to your shipping cost with us.